L Number	Hits	Search Text	DB	Time stamp
1	464	(server near3 availability) and (central$5 with (location or database or stor$5 or availabl$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:04
2	79	((server near3 availability) and (central$5 with (location or database or stor$5 or availabl$3))) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:17
3	97	((server near3 availability) and (central$5 with (location or database or stor$5 or availabl$3))) and (heart?beat or alive or availability or load$7) near3 (signal or messag$3 or notif$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:05
4	48	(((server near3 availability) and (central$5 with (location or database or stor$5 or availabl$3))) and (heart?beat or alive or availability or load$7) near3 (signal or messag$3 or notif$7)) and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:31
5	55	(((server near3 availability) and (central$5 with (location or database or stor$5 or availabl$3))) and (heart?beat or alive or availability or load$7) near3 (signal or messag$3 or notif$7)) and notif$7 with (status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:48
6	55	((((server near3 availability) and (central$5 with (location or database or stor$5 or availabl$3))) and (heart?beat or alive or availability or load$7) near3 (signal or messag$3 or notif$7)) and notif$7 with (status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and (notif$7 or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or periodic$5) near5 (updat$5 or interval or periodic$5 or notif$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:10
7	41	(((((server near3 availability) and (central$5 with (location or database or stor$5 or availabl$3))) and (heart?beat or alive or availability or load$7) near3 (signal or messag$3 or notif$7)) and notif$7 with (status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and (notif$7 or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or periodic$5) near5 (updat$5 or interval or periodic$5 or notif$5)) and @ad<20000715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:36

8	40	(((((((server near3 availability) and (central$5 with (location or database or stor$5 or availabl$3))) and (heart?beat or alive or availability or load$7) near3 (signal or messag$3 or notif$7)) and notif$7 with (status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and (notif$7 or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or periodic$5) near5 (updat$5 or interval or periodic$5 or notif$5)) and @ad<20000715) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:16
9	38	(((((((server near3 availability) and (central$5 with (location or database or stor$5 or availabl$3))) and (heart?beat or alive or availability or load$7) near3 (signal or messag$3 or notif$7)) and notif$7 with (status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and (notif$7 or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or periodic$5) near5 (updat$5 or interval or periodic$5 or notif$5)) and @ad<20000715) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and manag$7 near5 (location or database or availabl$3 or central$5 or access$5 or signal or heartbeat or alive or stor$5 or log$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:29
10	94792	((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:41
11	1707	(((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:14
12	445	(((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:14
13	343	((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:07

C:\APPS\EAST\Workspaces\09682046.wsp

14	41	(((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and (location or database) near3 central$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:17
15	24	(((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and (location or database) near3 central$5 same (heart?beat or alive or availability or signal or messag$3 or notif$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:17
16	12	((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and (location or database) near3 central$5 same (heart?beat or alive or availability or signal or messag$3 or notif$7)) and @ad<20000715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:18
17	13588	"23" and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:31
18	63	(((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:08
19	40	(((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 near5 (period or time or time?stamp or limit$4 or thresh$5 or bound$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:31

20	17	(((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 near3 (period or time or time?stamp or limit$4 or thresh$5 or bound$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:32
21	216	(((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and (messag$5 or signal or alive or heartbeat or heart?beat or avail$5 or load$5 or notif$7) near3 (period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or rang$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:41
22	24	((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and (messag$5 or signal or alive or heartbeat or heart?beat or avail$5 or load$5 or notif$7) near3 (period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or rang$3)) and (messag$5 or signal or alive or heartbeat or heart?beat or avail$5 or load$5 or notif$7) with (central or shar$5) near5 (database or location or stor$5 or record$5 or log$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:35
23	13	(((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and (messag$5 or signal or alive or heartbeat or heart?beat or avail$5 or load$5 or notif$7) near3 (period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or rang$3)) and (messag$5 or signal or alive or heartbeat or heart?beat or avail$5 or load$5 or notif$7) with (central or shar$5) near5 (database or location or stor$5 or record$5 or log$3)) and @ad<20000715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:42

24	58	((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and (messag$5 or signal or alive or heartbeat or heart?beat or avail$5 or load$5 or notif$7) near3 (period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or rang$3) same (central$5 or database or shar$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:42
25	58	((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$6 same (central$5 or database or shar$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:10
26	22	((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and (messag$5 or signal or alive or heartbeat or heart?beat or avail$5 or load$5 or notif$7) near3 (period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or rang$3) same (central$5 or database or shar$5)) and ((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$6 same (central$5 or database or shar$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:42

27	11	(((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and (messag$5 or signal or alive or heartbeat or heart?beat or avail$5 or load$5 or notif$7) near3 (period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or rang$3) same (central$5 or database or shar$5)) and ((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$6 same (central$5 or database or shar$5))) and @ad<20000715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:12
28	2	("6353898").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 18:51
29	9	((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and (messag$5 or signal or alive or heartbeat or heart?beat or avail$5 or load$5 or notif$7) near3 (period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or rang$3)) and watchdog	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:05
30	1448	(((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:08

31	401	((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:09
32	267	((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and notif$7 with (avail$7 or fail$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:11
33	117	(((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and notif$7 with (avail$7 or fail$6)) and notif$6 same (central$5 or database or shar$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:10
34	158	(((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and notif$7 with (avail$7 or fail$6)) and notif$6 same (central$5 or database or shar$5 or stor$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:10
35	93	((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and (measur$5 or percentage or total) with (avail$7 or fail$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:12

| 36 | 44 | ((((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and notif$7 with (avail$7 or fail$6)) and notif$6 same (central$5 or database or shar$5 or stor$5)) and (((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and (measur$5 or percentage or total) with (avail$7 or fail$6)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/08 19:12 |
| 37 | 35 | ((((((((((fault near1 toleran$5·or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and notif$7 with (avail$7 or fail$6)) and notif$6 same (central$5 or database or shar$5 or stor$5)) and (((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) and (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and notif$7 with (period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and (measur$5 or percentage or total) with (avail$7 or fail$6))) and @ad<20000715 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2003/12/08 19:51 |

39	22	(((((((fault near1 toleran$5 or availab$5) or load$8 or load?balanc$5) near5 (network$3 or server$1 or node$1 or cluster or distributed)) same (heart?beat or alive or availability) near3 (signal or messag$3 or notif$7)) and (keep$5 or sav$5 or record$5 or log$5 or stor$5$5) near5 (location or database or availabl$3 or central$5 or access$5 or notif$6 or signal or heartbeat or alive)) and (messag$5 or signal or alive or heartbeat or heart?beat or avail$5 or load$5 or notif$7) near3 (period or time or time?stamp or limit$4 or thresh$5 or bound$3 or interval or rang$3)) and (measur$5 or percentage or total) with avail$7 near5 (network$3 or server$1 or node$1 or cluster or distributed or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:47
40	2200	(measur$5 or percentage or total) with avail$7 near5 (network$3 or server$1 or node$1 or cluster or distributed or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:47
42	293	((measur$5 or percentage or total) with avail$7 near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and notif$7 with (status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:48
43	297	((measur$5 or percentage or total) with avail$7 near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and notif$7 with (interval or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:48
44	146	((measur$5 or percentage or total) with avail$7 near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and notif$7 near5 (interval or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	.2003/12/08 19:49
45	115	(((measur$5 or percentage or total) with avail$7 near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and notif$7 near5 (interval or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and (stor$5 or inser$6 or add$3 or record$3 or log$3) near5 (interval or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:51
47	41	((((measur$5 or percentage or total) with avail$7 near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and notif$7 near5 (interval or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and (stor$5 or inser$6 or add$3 or record$3 or log$3) near5 (interval or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and central$5 near5 (location or stor$5 or database or table or list$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 19:51

48	24	(((((measur$5 or percentage or total) with avail$7 near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and notif$7 near5 (interval or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and (stor$5 or inser$6 or add$3 or record$3 or log$3) near5 (interval or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and central$5 near5 (location or stor$5 or database or table or list$4)) and @ad<20000715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 21:03
49	0	709.223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 21:04
50	6242	709/223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 21:04
52	8	(((((measur$5 or percentage or total) with avail$7 near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and notif$7 near5 (interval or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and (stor$5 or inser$6 or add$3 or record$3 or log$3) near5 (interval or status or period or time or time?stamp or limit$4 or thresh$5 or bound$3)) and central$5 near5 (location or stor$5 or database or table or list$4)) and 709/223-226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 21:04